

WILDLAND FIRE HYDRAULICS CALCULATIONS - " BONEHEAD " vs. ACCURATE!

Disclaimer: Unlike the spineless authors at 'frictionlosscalculator.com,' I TAKE FULL LIABILITY THESE CALCULATIONS ARE 100% ACCURATE AND RELIABLE - SUE ME!

Is there truly a "CHOICE" which method to more EASILY vs. ACCURATELY calculate Fire Ground Hydraulics when mathematics "NEVER" LIE!?! Well somebody is! *Is it YOU!?! Hmmm!?!*

How do you explain **52.87%** UNDER "CALCULATED" Engine Pressure at 1,400 feet at

53 GPM 1.5" nozzle **13** GPM "Laterals" at **200** ft. every **200** and HEAD **0**

I was THREATENED to "DO NOT CONFUSE THE CLASS !!!" in May 1986 at the CAL FIRE Fire Academy or face certain TERMINATION! Yet I graduated "TOP STUDENT" at Rank ONE (1) of 23 at 96.8% ?

Are you even aware of this truly [IN]-SIGNIFICANT formula that is instructed INTERNATIONALLY!?!

FL = C * (Q / 100)^2 * (L / 100)	Engine Pressure = Nozzle Pressure + Friction Loss + Appliance(s) + HEAD		11/18/2018
Coefficient (C) for 1.5" hose is 24	http://www.tinyurl.com/hftfire - ALL supporting videos	http://frictionlosscalculator.com	<u>12/31/2017</u>
Coefficient (C) for 1" hose is 150	'SAFE' Hose Deployment: http://www.tinyurl.com/hftfire01	written: http://www.hoseroiler.info	1
GPM (Q)	Please NOTE: You're wannabe "academy" demands accuracy within 10 PSI right!?! How can you justify <u>FAILING</u> past		
Length (L)	students now <u>UNEMPLOYED</u> when it's evidenced you <u>INSTRUCT</u> results that are <u>GROSSLY INCORRECT</u> by far <u>MORE!?!</u>		

Please feel FREE to fill-in ONLY the - LIGHT BLUE - highlighted cells to satisfy your 'SIMPLE' curiosity!

But don't forget the maximum ENGINE PRESSURE CANNOT EXCEED 400 PSI! REMEMBER!?!
Or do you recall the "TEST PRESSURE" of fire hose is just as fire apparatus are "CONFUSINGLY" governed!?!

'YOU' INSTRUCT 'YOUR' PERSONAL AGENDA that FORCES 1000's of FF's to answer 'WRONG' to GRADUATE!

Have I crossed a "SACRED" POLITICAL LINE !?! Will 'YOU' file CRIMINAL HARASSMENT 'CHARGES'!?!

The Affirmative Action goals as an EEO employer in the late 1970's mandated by our Federal Government caused CAL FIRE (CDF) to face what it STILL considers an INSURMOUNTABLE DILEMMA : How in the world are 'THEY' gonna SECURE HUNDREDS OF MILLIONS OF DOLLARS each and every year for DECADES to meet IT'S highest priority!?! ...balance the all mighty God fearing Fiscal Budget! ENJOY Admissible EVIDENCE they will DECEIVE ANY uneducated individual for 'THE MONEY' even if it BURNS FIREFIGHTERS FOR FEDERAL RESERVE NOTES!!!

Disclaimer: Unlike the spineless authors at 'frictionlosscalculator.com,' I TAKE FULL LIABILITY THESE CALCULATIONS ARE 100% ACCURATE AND RELIABLE - SUE ME!

Click here for "supporting" video: <http://www.tinyurl.com/calfire01> ...and then go on "time-line" to 1:13:40 to LEARN in <http://www.tinyurl.com/calfire02>

GET TRUTH verified by the Feds! Hoffmann Fire & Rescue Technologies - (877) HOSEROLLER Cover Letter and Resume ' and Patents #6267319 & #6659389

Do dispute #1 & #6! **Go to:** <http://www.hydraulicsapp.com> www.hftfire.com - © 2014 - 2018 - All Rights Reserved <http://tinyurl.com/noahmorgan01>

"CORRECT" METHOD - INTERNATIONALLY RECOGNIZED "FIRE STANDARD"

HEAD:	(Enter FEET elevation)		Laterals Start:	If 1.5" 'Trunk' line is SUPPLY ONLY w/ 1" Laterals, then enter ZERO "0" for 1.5" AND "X" GPM for 1" laterals.						
0	1.5"	1.5" Prog.	200	ACCURATE	1" Lateral	Number of	1.0" Lateral	Number of laterals 'shut down'	ACTUAL	
0	NOZZLE	Friction Loss	Progressing at:	1.5" Sub-total	13	1.0" Laterals	Friction Loss	1.0" Sub-total	0	
NP - (T/C)	GPM	per 100'	200	"Friction Loss"	GPM	at 100' each	per 100'	Friction Loss	APPLIANCE	Engine Pressure
50	53	6.7	100	6.7	0	0	0.0	0.0	0	56.7
50	53	6.7	200	13.5	0	0	0.0	0.0	0	63.5
50	66	10.5	300	23.9	13	1	2.5	2.5	5	81.5
50	66	10.5	400	34.4	13	1	2.5	2.5	5	91.9
50	79	15.0	500	49.4	13	2	2.5	5.1	10	114.4
50	79	15.0	600	64.3	13	2	2.5	5.1	10	129.4
50	92	20.3	700	84.7	13	3	2.5	7.6	15	157.3
50	92	20.3	800	105.0	13	3	2.5	7.6	15	177.6
50	105	26.5	900	131.4	13	4	2.5	10.1	20	211.6
50	105	26.5	1000	157.9	13	4	2.5	10.1	20	238.0
50	118	33.4	1100	191.3	13	5	2.5	12.7	25	279.0
50	118	33.4	1200	224.7	13	5	2.5	12.7	25	312.4
50	131	41.2	1300	265.9	13	6	2.5	15.2	30	361.1
50	131	41.2	1400	307.1	13	6	2.5	15.2	30	402.3
50	144	49.8	1500	356.9	13	7	2.5	17.7	35	459.6
50	144	49.8	1600	406.6	13	7	2.5	17.7	35	509.4
50	157	59.2	1700	465.8	13	8	2.5	20.3	40	576.1
50	157	59.2	1800	525.0	13	8	2.5	20.3	40	635.2
50	170	69.4	1900	594.3	13	9	2.5	22.8	45	712.1
50	170	69.4	2000	663.7	13	9	2.5	22.8	45	781.5

THESE ARE THE ACCURATE CALCULATIONS PER INTERNATIONAL "LAWS" of PHYSICS ...YET CAL FIRE'S THREAT

"IT SHALL NOT BE DISPUTED OR BE FIRED" calculation [METHOD] at 1400 ft. is a FULL **210.4 PSI** of

"EXTRA" PRESSURE TO "DANGEROUSLY" EXTEND 'YOUR' HOSELAY AN "EXTRA" **2002 FEET!!!**

This is AFTER the ACTUAL DEMANDS to "STOP !!!" Just go for it! If your firefighters complain, just FIRE 'em

for severe INSUBORDINATION 'cuz YOU KNOW the "CAL FIRE GOD'S" trained you RIGHT! The UNQUESTIONED !

Disclaimer: Unlike the spineless authors at 'frictionlosscalculator.com,' I TAKE FULL LIABILITY THESE CALCULATIONS ARE 100% ACCURATE AND RELIABLE - SUE ME!

" POLITICALLY CORRECT " CAL FIRE ACADEMY METHOD IN WHICH THE "TRUNK LINE" NEVER ADJUSTS FOR " INCREASED " GPM FOR EACH ONE (1") INCH LATERAL ADDED WHICH EXPONENTIALLY INCREASES "FL!"

HEAD: (Enter <u>FEET</u> elevation)			Laterals Start:	"Politically" Correct	Nozzle: 3/16" = 7 gpm		1/4" = 13 gpm		5/16" = 21 gpm		3/8" = 30 gpm		1/2" = 53 gpm	
<u>0</u>	1.5"	1.5" <u>FLAT</u>	<u>200</u>		1" Lateral	Number of	1.0" Lateral	<i>Number of laterals 'shut down'</i>					Politically CORRECT <u>WRONG EP</u>	
<u>0</u>	<u>NOZZLE</u>	Friction Loss	Progressing at:		1.5" Sub-total	<u>13</u>	1.0" Laterals	Friction Loss	1.0" Sub-total	<u>0</u>				
NP - (T/C)	GPM	per 100'	<u>200</u>	"Friction Loss"	GPM	at 100' each	per 100'	Friction Loss	APPLIANCE					
<u>50</u>	<u>53</u>	6.7	100	<u>6.7</u>	0	0	0.0	<u>0.0</u>	<u>0</u>		<u>56.7</u>			
<u>50</u>	<u>53</u>	6.7	200	<u>13.5</u>	0	0	0.0	<u>0.0</u>	<u>0</u>		<u>63.5</u>			
<u>50</u>	<u>53</u>	6.7	300	<u>20.2</u>	13	1	2.5	<u>2.5</u>	<u>5</u>		<u>77.8</u>			
<u>50</u>	<u>53</u>	6.7	400	<u>27.0</u>	13	1	2.5	<u>2.5</u>	<u>5</u>		<u>84.5</u>			
<u>50</u>	<u>53</u>	6.7	500	<u>33.7</u>	13	2	2.5	<u>5.1</u>	<u>10</u>		<u>98.8</u>			
<u>50</u>	<u>53</u>	6.7	600	<u>40.4</u>	13	2	2.5	<u>5.1</u>	<u>10</u>		<u>105.5</u>			
<u>50</u>	<u>53</u>	6.7	700	<u>47.2</u>	13	3	2.5	<u>7.6</u>	<u>15</u>		<u>119.8</u>			
<u>50</u>	<u>53</u>	6.7	800	<u>53.9</u>	13	3	2.5	<u>7.6</u>	<u>15</u>		<u>126.5</u>			
<u>50</u>	<u>53</u>	6.7	900	<u>60.7</u>	13	4	2.5	<u>10.1</u>	<u>20</u>		<u>140.8</u>			
<u>50</u>	<u>53</u>	6.7	1000	<u>67.4</u>	13	4	2.5	<u>10.1</u>	<u>20</u>		<u>147.6</u>			
<u>50</u>	<u>53</u>	6.7	1100	<u>74.2</u>	13	5	2.5	<u>12.7</u>	<u>25</u>		<u>161.8</u>			
<u>50</u>	<u>53</u>	6.7	1200	<u>80.9</u>	13	5	2.5	<u>12.7</u>	<u>25</u>		<u>168.57</u>			
<u>50</u>	<u>53</u>	6.7	1300	<u>87.6</u>	13	6	2.5	<u>15.2</u>	<u>30</u>		<u>182.9</u>			
<u>50</u>	<u>53</u>	<u>6.7</u>	<u>1400</u>	<u>94.4</u>	<u>13</u>	<u>6</u>	<u>2.5</u>	<u>15.2</u>	<u>30</u>		<u>189.6</u>			
<u>50</u>	<u>53</u>	6.7	1500	<u>101.1</u>	13	7	2.5	<u>17.7</u>	<u>35</u>		<u>203.9</u>			
<u>50</u>	<u>53</u>	6.7	1600	<u>107.9</u>	13	7	2.5	<u>17.7</u>	<u>35</u>		<u>210.6</u>			
<u>50</u>	<u>53</u>	6.7	1700	<u>114.6</u>	13	8	2.5	<u>20.3</u>	<u>40</u>		<u>224.9</u>			
<u>50</u>	<u>53</u>	6.7	1800	<u>121.3</u>	13	8	2.5	<u>20.3</u>	<u>40</u>		<u>231.6</u>			
<u>50</u>	<u>53</u>	6.7	1900	<u>128.1</u>	13	9	2.5	<u>22.8</u>	<u>45</u>		<u>245.9</u>			
<u>50</u>	<u>53</u>	<u>6.7</u>	<u>2000</u>	<u>134.8</u>	13	9	2.5	<u>22.8</u>	<u>45</u>		<u>252.6</u>			

This should look really familiar to your "NORMAL" or "STATUS QUO" that has kept YOU and literally every SEVERELY DECEIVED STUDENT feeling 'SAFE AND SECURE' as, "Ya' all got 'em through the MATH somehow!"
 ...but have you considered REALITY!?! Ask the USFS, BLM, NPS, OSF, NSF, & ASF what they do!
 But what do you care 'cuz the only numbers important to you are "THE RESULTS" of an "EASIER" math equation!

Click here for "supporting" evidences: <http://www.tinyurl.com/calfire03> <http://www.tinyurl.com/calfire04> <http://www.tinyurl.com/calfire05>

World's GREATEST hosecabinet! Hoffmann Fire & Rescue Technologies - (877) HOSEROLLER [(877) 467-3765] CAL-FIRE Certificates and 'FALSE' positive RESULTS!

1.5" Hose Length	Number of 1" Laterals	<u>ACTUAL REQUIRED EP</u>	<u>ACTUAL REMAINING PSI TO 400</u>	<u>ACTUAL Hose to ADD w/o NEW Laterals</u>	<u>CAN WE PUMP?</u>	<u>"Politically Correct" EP</u>	<u>NET Incorrect EP</u>	<u>NET RESULT ERROR!</u>	<u>ASS-U-ME d REMAINING PSI TO 400</u>	<u>HOSE ' BELIEVED ' can be EXTENDED BEYOND ACTUAL</u>
100	0	56.7	343.3	5092	<u>YES</u>	56.7	0.0	0.00%	343.3	<u>0</u>
200	0	63.5	336.5	4992	<u>YES</u>	63.5	0.0	0.00%	336.5	<u>0</u>
300	1	81.5	318.5	3047	<u>YES</u>	77.8	3.7	4.56%	322.2	<u>35</u>
400	1	91.9	308.1	2947	<u>YES</u>	84.5	7.4	8.08%	315.5	<u>71</u>
500	2	114.4	285.6	1906	<u>YES</u>	98.8	15.7	13.69%	301.2	<u>149</u>
600	2	129.4	270.6	1806	<u>YES</u>	105.5	23.9	18.47%	294.5	<u>227</u>
700	3	157.3	242.7	1195	<u>YES</u>	119.8	37.5	23.83%	280.2	<u>357</u>
800	3	177.6	222.4	1095	<u>YES</u>	126.5	51.0	28.74%	273.5	<u>486</u>
900	4	211.6	188.4	712	<u>YES</u>	140.8	70.8	33.45%	259.2	<u>673</u>
1000	4	238.0	162.0	612	<u>YES</u>	147.6	90.5	38.01%	252.4	<u>861</u>
1100	5	279.0	121.0	362	<u>YES</u>	161.8	117.2	41.99%	238.2	<u>1115</u>
1200	5	312.4	87.6	262	<u>YES</u>	168.6	143.8	46.04%	231.4	<u>1369</u>
1300	6	361.1	38.9	94	<u>YES</u>	182.9	178.3	49.37%	217.1	<u>1696</u>
1400	6	402.3	0.0	0	STOP!	189.6	212.7	52.87%	210.4	2002
1500	7	459.6	0.0	0	STOP!	203.9	255.7	55.64%	196.1	<u>1866</u>
1600	7	509.4	0.0	0	STOP!	210.6	298.8	58.65%	189.4	<u>1802</u>

And you question why Firefighters SCREAM, " MORE PRESSURE !!! MORE PRESSURE !!! MORE PRESSURE !!!?"

How many have been INJURED and RISK DEATH UPON " PURPOSEFUL " DISREGARD to LAWS of PHYSICS!?!

...or are "YOU" who "Firefighter SAFETY" is a very distant " NON-PRIORITY " to securing the GRADUATING NUMBERS !?!

Those I've shared this BELIEVE you ARE CRIMINALLY LIABLE for ALL associated BURN INJURIES & DEATHS!

Reflect on this regarding the "Crank Fire" as my CDF Fire Captain Robert Togstad ILLUSTRATES the IMPORTANCE of ACCURACY!

Think ' SAFETY ' WHEN THIS 'POTENTIAL' OCCURS! ...WHAT ARE 'THOSE' NUMBERS!?! <http://www.tinyurl.com/crankfire>

Disclaimer: Unlike the spineless authors at 'frictionlosscalculator.com,' I TAKE FULL LIABILITY THESE CALCULATIONS ARE 100% ACCURATE AND RELIABLE - SUE ME!

See how over \$46,000,000 FELONY EMBEZZLED from U.S. and CA taxpayers results in \$885 MILLION in FINES to 'MOB' CCPOA! <http://www.caextortion.com/>

Road to ' INSANITY ' - DOCUMENTARY Hoffmann Fire & Rescue Technologies - (877) HOSEROLLER - Cover Letter and Resume ' and Patents #6267319 & #6659389

<http://tinyurl.com/SLOAA340> **Go to: <http://www.hydraulicsapp.com>** www.hftfire.com - © 2014 - 2018 - All Rights Reserved <http://tinyurl.com/aluminumovercast>